

AD-A174 531

DEFINING NATURAL LANGUAGE IN GPSG (GENERALIZED PHRASE
STRUCTURE GRAMMAR'S) (U) MASSACHUSETTS INST OF TECH
CAMBRIDGE ARTIFICIAL INTELLIGENCE LAB E S RISTAD

1/1


UNCLASSIFIED

APR 86 AI-M-895 N00014-80-C-0505

F/G 5/7

NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

2

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AIM 895	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Defining Natural Language Grammars in GPSG		5. TYPE OF REPORT & PERIOD COVERED AI-Memo
7. AUTHOR(s) Eric Sven Ristad		6. PERFORMING ORG. REPORT NUMBER
8. CONTRACT OR GRANT NUMBER(s) N00014-80-C-0505		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
9. PERFORMING ORGANIZATION NAME AND ADDRESS Artificial Intelligence Laboratory 545 Technology Square Cambridge, MA 02139		12. REPORT DATE April, 1986
1. CONTROLLING OFFICE NAME AND ADDRESS Advanced Research Projects Agency 1400 Wilson Blvd. Arlington, VA 22209		13. NUMBER OF PAGES 11 pages
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) Office of Naval Research Information Systems Arlington, VA 22217		15. SECURITY CLASS. (of this report)
6. DISTRIBUTION STATEMENT (of this Report) Distribution is unlimited.		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES None		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) GPSG, linguistics, unnatural languages, undecidability, natural language, linguistic theory		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) (see reverse side)		

DTIC
ELECTE
NOV 25 1986
S E D

AD-A174 531

DTIC FILE COPY

DD FORM 1473
1 JAN 73EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0:02-014-6601

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

This paper is a formal analysis of whether generalized phrase structure grammar's (GPSG) weak context-free generative power will allow it to achieve three of its central goals: (1) to characterize all and only the natural language grammars, (2) to algorithmically determine membership and generative power consequences of GPSGs, and (3) to embody the universalism of natural language entirely in the formal system. I prove that " Σ^* " is undecidable for GPSGs and, on the basis of this result and the unnaturalness of the Σ^* language, I argue that GPSG's three goals and its weak context-free generative power conflict with each other: there is no algorithmic way of knowing whether any given GPSG generates a natural language or an unnatural one. The paper concludes with a diagnosis of the result and suggests that the problem might be met by abandoning the weak context-free framework and assuming substantive constraints.

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	



MASSACHUSETTS INSTITUTE OF TECHNOLOGY
ARTIFICIAL INTELLIGENCE LABORATORY

A.I. Memo No. 895

April, 1986

Defining Natural Language Grammars in GPSG

Eric Sven Ristad

ABSTRACT:

1
This paper is a formal analysis of whether generalized phrase structure grammar's (GPSG) weak context-free generative power will allow it to achieve three of its central goals: (1) to characterize all and only the natural language grammars, (2) to algorithmically determine membership and generative power consequences of GPSGs, and (3) to embody the universalism of natural language entirely in the formal system. I prove that " $\alpha = \Sigma^*$ " is undecidable for GPSGs and, on the basis of this result and the unnaturalness of Σ^* , I argue that GPSG's three goals and its weak context-free generative power conflict with each other: there is no algorithmic way of knowing whether any given GPSG generates a natural language or an unnatural one. The paper concludes with a diagnosis of the result and suggests that the problem might be met by abandoning the weak context-free framework and assuming substantive constraints.

2100 *
= Sigma *?

✱

This report describes research done in part at the Artificial Intelligence Laboratory of the Massachusetts Institute of Technology. Support for the Laboratory's artificial intelligence research has been provided in part by the Advanced Research Projects Agency of the Department of Defense under Office of Naval Research contract N00014-80-C-0505. This paper will be presented at the 1986 ACL Conference in June.

©Eric Sven Ristad, 1986

1 Overview

Three central goals of work in the generalized phrase structure grammar (GPSG) linguistic framework, as stated in the leading book "Generalized Phrase Structure Grammar" Gazdar et al (1985) (hereafter GKPS), are: (1) to characterize all and only the natural language grammars, (2) to algorithmically determine membership and generative power consequences of GPSGs, and (3) to embody the universalism of natural language entirely in the formal system, rather than by statements made in it.¹

These pages formally consider whether GPSG's weak context-free generative power (wcfgp) will allow it to achieve the three goals. The centerpiece of this paper is a proof that it is undecidable whether an arbitrary GPSG generates the nonnatural language Σ^* . On the basis of this result, I argue that GPSG fails to define the natural language grammars, and that the generative power consequences of the GPSG framework cannot be algorithmically determined, contrary to goals one and two.² In the process, I examine the linguistic universalism of the GPSG formal system and argue that GPSGs can describe an infinite class of nonnatural context-free languages. The paper concludes with a brief diagnosis of the result and suggests that the problem might be met by abandoning the weak context-free generative power framework and assuming substantive constraints.

¹GKPS clearly outline their goals. One, "to arrive at a constrained metalanguage capable of defining the grammars of natural languages, but not the grammar of, say, the set of prime numbers." (p.4). Two, to construct an explicit linguistic theory whose formal consequences are clearly and easily determinable. These 'formal consequences' include both the generative power consequences demanded by the first goal and membership determination: GPSG regards languages "as collections whose membership is definitely and precisely specifiable." (p.1) Three, to define a linguistic theory where "*the universalism [of natural language] is, ultimately, intended to be entirely embodied in the formal system, not expressed by statements made in it.*" (p.4, my emphasis)

²The proof technique make use of invalid computations, and the actual GPSG constructed is so simple, so similar to the GPSGs proposed for actual natural languages, and so flexible in its exact formulation that *the method of proof* suggests there may be no simple reformulations of GPSG that avoid this problem. The proof also suggests that it is impossible in principle to algorithmically determine whether linguistic theories based on a wcfgp framework (e.g. GPSG) actually define the natural language grammars.

1.1 The Structure of GPSG Theory

A generalized phrase structure grammar contains five language-particular components (immediate dominance (ID) rules, metarules, linear precedence (LP) statements, feature co-occurrence restrictions (FCRs), and feature specification defaults (FSDs)) and four universal components: a theory of syntactic features, principles of universal feature instantiation, principles of semantic interpretation, and formal relationships among various components of the grammar.³

The set of ID rules obtained by taking the finite closure of the metarules on the ID rules is mapped into local phrase structure trees, subject to principles of universal feature instantiation, FSDs, FCRs, and LP statements. Finally, these local trees are assembled to form phrase structure trees, which are terminated by lexical elements.

The essence of GPSG is the constrained mapping of ID rules into local trees. The constraints of GPSG theory subdivide into absolute constraints on local trees (due to FCRs and LP-statements) and relative constraints on the rule to local tree mapping (stemming from FSDs and universal feature instantiation). The absolute constraints are all language-particular, and consequently not inherent in the formal GPSG framework. Similarly, the relative constraints, of which only universal instantiation is not explicitly language-particular, do not apply to fully specified ID rules and consequently are not strongly inherent in the GPSG framework either.⁴ In summary, GPSG local trees are only as constrained as ID rules are: that is, not at all.

The only constraint strongly inherent in GPSG theory (when compared to context-free grammars (CFGs)) is finite feature closure, which limits the number of GPSG nonterminal symbols to be finite and bounded.⁵

³This work is based on current GPSG theory as presented in GKPS. The reader is urged to consult that work for a formal presentation and thorough exposition of current GPSG theory.

⁴I use "strongly inherent" to mean "unavoidable by virtue of the formal framework." Note that the use of problematic feature specifications in universal feature instantiation means that this constraint is dependent on other, parochial, components (e.g. FCRs). Appropriate choice of FCRs or ID rules will abrogate universal feature instantiation, thus rendering it implicitly language particular too.

⁵This formal constraint is extremely weak, however, since the theory of syntactic features licenses more than 10^{774} syntactic categories. See Ristad(1986) for a discussion.

1.2 A Nonnatural GPSG

Consider the exceedingly simple GPSG for the nonnatural language Σ^* , consisting solely of the two ID rules

$$S \rightarrow \{\}, H \mid \epsilon$$

This GPSG generates local trees with all possible subcategorization specifications — the SUBCAT feature may assume any value in the non-head daughter of the first ID rule, and S generates the nonnatural language Σ^* .

This exhibit is inconclusive, however. We have only shown that GKPS — and not GPSG — have failed to achieve the first goal of GPSG theory. The exhibition leaves open the possibility of trivially reformalizing GPSG or imposing ad-hoc constraints on the theory such that I will no longer be able to personally construct a GPSG for Σ^* .

2 Undecidability and Generative Power in GPSG

That “ $= \Sigma^*$?” is undecidable for arbitrary context-free grammars is a well-known result in the formal language literature (see Hopcraft and Ullman(1979:201–203)). The standard proof is to construct a pushdown automata (PDA) that accepts all invalid computations of a Turing machine (TM) M . From this PDA an equivalent CFG G is directly constructible. Thus, $L(G) = \Sigma^*$ if and only if *all computations of M are invalid*, i.e. $L(M) = \emptyset$. The latter problem is undecidable, so the former must be also.

No such reduction is possible for a proof that “ $= \Sigma^*$?” is undecidable for arbitrary GPSGs. In the above reduction, the number of nonterminals in G is a function of the size of the simulated TM M . GPSGs, however, have a bounded number of nonterminal symbols, and as discussed above, that is the essential difference between CFGs and GPSGs.

Only weak generative power is of interest for the following proof, and the formal GPSG constraints on weak generative power are trivially abrogated. For example, exhaustive constant partial ordering (ECPO) — which is a constraint on strong generative capacity — can be done away with for all intents and purposes by nonterminal renaming, and constraints arising from principles of universal feature instantiation don't apply to fully instantiated

ID rules.

First, a proof that " $= \Sigma^*$?" is undecidable for context-free grammars with a very small number of terminal and nonterminal symbols is sketched. Following the proof for CFGs, the equivalent proof for GPSGs is outlined.

2.1 Outline of a Proof for Small CFGs

Let $L_{(x,y)}$ be the class of context-free grammars with at least x nonterminal and y terminal symbols. I now sketch a proof that it is undecidable of an arbitrary CFG $G \in L_{(x,y)}$ whether $L(G) = \Sigma^*$ for some x, y greater than fixed lower bounds. The actual construction details are of no obvious mathematical or pedagogical interest, and will not be included. The idea is to directly construct a CFG to generate the invalid computations of the Universal Turing Machine (UTM). This grammar will be small if the UTM is small. The "smallest UTM" of Minsky(1967:276-281) has seven states and a four symbol tape alphabet, for a state-symbol product of 28 (!). Hence, it is not surprising that the "smallest G_{UTM} " that generates the invalid computations of the UTM has seventeen nonterminals and two terminals.

Observe that if a string w is an invalid computation of the universal Turing machine $M = (Q, \Sigma, \Gamma, \delta, q_0, B, F)$ on input x , then one of the following conditions must hold.

1. w has a "syntactic error," that is, w is not of the form $x_1 \# x_2 \# \dots \# x_m \#$, where each x_i is an instantaneous description (ID) of M . Therefore, some x_i is not an ID of M .
2. x_1 is not initial; that is, $x_1 \notin q_0 \Sigma^*$
3. x_m is not final; that is $x_m \notin \Gamma^* f \Gamma^*$
4. $x_i \mapsto_M (x_{i+1})^R$ is false for some odd i
5. $(x_i)^R \mapsto_M x_{i+1}$ is false for some even i

Straightforward construction of G_{UTM} will result in a CFG containing on the order of twenty or thirty nonterminals and at least fifteen terminals (one for each UTM state and tape symbol, one for the blank-tape symbol, and one for the instantaneous description separator "#"). Then the subgrammars which ensure that $(x_i)^R \mapsto_M x_{i+1}$ is false for some even i and that $x_i \mapsto_M$

in the construction will be fully specified so as to defeat universal feature instantiation, and the construction will use nonterminal renaming to avoid ECPO.

Let the GPSG category C be fully specified for all features (the actual values don't matter) with the exception of, say, the binary features GER, NEG, NULL and POSS. Arrange those four features in some canonical order, and let binary strings of length four represent the values assigned to those features in a given category. For example, $C[0100]$ represents the category C with the additional specifications $([-GER], [+NEG], [-NULL], [-POSS])$. We replace S_{odd} by $C[0000]$, S_1 by $C[0001]$, S_2 by $C[0010]$, S_3 by $C[0011]$, S_6 by $C[0100]$, and S_7 by $C[0101]$. The nonterminal Γ is replaced by three symbols of the form $C[11xx]$, one for each linear precedence to which Γ conforms. Similarly, Σ is replaced by two symbols of the form $C[100x]$. The ID rules, in the same order as the CF productions above (with a portion of the necessary LP statements) are:

$$\begin{aligned}
C[0000] &\rightarrow C[0001]\# \\
C[0001] &\rightarrow C[1100]C[0001]C[1101] \mid C[0010] \mid C[0100] \mid C[0101] \\
C[0100] &\rightarrow C[1100]C[0100] \mid C[1100]C[0011] \\
C[0101] &\rightarrow C[0101]C[1101] \mid C[0011]C[1101] \\
C[0010] &\rightarrow C[1000]aC[1001]C[0011]C[1101]bC[1110] \\
&\quad \text{where } a \neq b, \text{ both in } \Sigma \\
C[0010] &\rightarrow aqbC[0011]\{\Gamma^3 - pca\} \quad \text{if } \delta(q, b) = (p, c, R) \\
&\quad aqbC[0011]\{\Gamma^3 - cap\} \quad \text{if } \delta(q, b) = (p, c, L) \\
C[0010] &\rightarrow aqB\#B\{\Gamma^3 - pca\} \quad \text{if } \delta(q, B) = (p, c, R) \\
&\quad aqB\#B\{\Gamma^3 - cap\} \quad \text{if } \delta(q, B) = (p, c, L) \\
C[0011] &\rightarrow C[1100]C[0011]C[1101] \mid \\
&\quad QB\#BC[1100]C[1101] \mid \\
&\quad C[1000]B\#BC[1100] \\
C[1100] &< C[0001], C[0011], C[0100], C[0101] < C[1101] \\
C[1000] &< a < C[1001] < C[0011] < C[1110]
\end{aligned}$$

While the sketched ID rules are not valid GPSG rules, just as the sketched context-free productions were not the valid components of a context-free grammar, a valid GPSG can be constructed in a straightforward and

obvious manner from the sketched ID rules. There would be no metarules, FCRs or FSDs in the actual grammar.

The last comment to be made is that in the actual G_{UTM} , only the number of productions is a function of the size of the UTM. The UTM is used only as a convincing crutch, because *only a small, fixed number of nonterminals are needed to construct a CFG for the invalid computations of any arbitrary Turing Machine.*

3 Interpreting the Result

The preceding pages have shown that the extremely simple nonnatural language Σ^* is generated by a GPSG, as is the more complex language L_{IC} consisting of the invalid computations of an arbitrary Turing machine on an arbitrary input. Because L_{IC} is a GPSG language, " $= \Sigma^*$?" is undecidable for GPSGs: *there is no algorithmic way of knowing whether any given GPSG generates a natural language or an unnatural one.* So, for example, no algorithm can tell us whether the English GPSG of GKPS really generates English or Σ^* .

The result suggests that goals 1, 2, 3 and the context-free framework conflict with each other. Weak context-free generative power allows both Σ^* and L_{IC} , yet by goal 1 we must exclude nonnatural languages. Goal 2 demands it be possible to algorithmically determine whether a given GPSG generates a desired language or not, yet this cannot be done in the context-free framework. Lastly, goal 3 requires that all nonnatural languages be excluded on the basis of the formal system alone, but this looks to be impossible given the other two goals, the adopted framework, and the technical vagueness of "natural language grammar."

The problem can be met in part by abandoning the context-free framework. Other authors have argued that natural language is not context-free, and here we argue that the GPSG theory of GKPS can characterize context-free languages that are too simple or trivial to be natural, e.g. any finite or regular language.⁶ The context-free framework is both too weak and too

⁶While 'natural language grammar' is not defined precisely, recent work has demonstrated empirically that natural language is not context-free, and therefore GPSG theory will not be able to characterize all the human language grammars. See, for example, Higginbotham(1984), Shieber(1985), and Culy(1985). For counterarguments, see Pulum(1985). Nash(1980), chapter 5, discusses the impossibility of accounting for free word

strong — it includes nonnatural languages and excludes natural ones. Moreover, CFL's have the wrong formal properties entirely: natural language is surely not closed under union, concatenation, Kleene closure, substitution, or intersection with regular sets!⁷ In short, the context-free framework is the wrong idea completely, and *this is to be expected*: why should the arbitrary generative power classifications of mathematics (formal language theory) be at all relevant to biology (human language)?

Goal 2, that the naturalness of grammars postulated by linguistic theory be decidable, and to a lesser extent goal 3, are of dubious merit. In my view, substantive constraints arising from psychology, biology or even physics may be freely invoked, with a corresponding change in the meaning of "natural language grammar" from "mentally-representable grammar" to something like "easily learnable and speakable mentally-representable grammar." There is no *a priori* reason or empirical evidence to suggest that the class of mentally representable grammars is not fantastically complex, maybe not even decidable.⁸

One promising restriction in this regard, which if properly formulated would alleviate GPSG's actual and formal inability to characterize only the natural language grammars, is *strong nativism* — the restrictive theory that the class of natural languages is finite. This restriction is well motivated both by the issues raised here and by other empirical considerations.⁹ The restriction, which may be substantive or purely formal, is a formal attack on the heart of the result: the theory of undecidability is concerned with the existence or nonexistence of algorithms for solving problems with an infinity

order languages (e.g. Warlpiri) using ID/LP grammars. I focus on the goal of characterizing *only* the natural language grammars in this paper.

⁷The finite, bounded number of nonterminals allowed in GPSG theory plays a linguistic role in this regard, because the direct consequence of finite feature closure is that GPSG languages are not truly closed under union, concatenation, or substitution.

⁸See Chomsky(1980:120) for a discussion.

⁹Note that invoking finiteness here is technically different from hiding intractability with finiteness. Finiteness is the correct generalization here, because we are interested in whether GPSG generates nonnatural languages or not, and not in the computational cost of determining the generative capacity of an arbitrary GPSG. A finiteness restriction for the purposes of computational complexity is invalid because it prevents us from properly using the tools of complexity theory to study the computational complexity of a problem.

of instances. Furthermore, the restriction may be empirically plausible.^{10,11}

The author does not have a clear idea how GPSG might be restricted in this manner, and merely suggests strong nativism as a well-motivated direction for future GPSG research.

Acknowledgments. The author is indebted to Ed Barton, Robert Berwick, Noam Chomsky, W. Eric Grimson, Jim Higginbotham, Richard Larson, Albert Meyer, and David Waltz for assistance in writing this paper, and to the MIT Artificial Intelligence Lab and Thinking Machines Corporation for supporting this research.

4 References

- Chomsky, N. (1980) *Rules and Representations*. New York: Columbia University Press.
- Gazdar, G., E. Klein, G. Pullum, and I. Sag (1985) *Generalized Phrase Structure Grammar*. Oxford, England: Basil Blackwell.

¹⁰See Osherson et. al. (1984) for an exposition of strong nativism and related issues. The theory of strong nativism can be derived in formal learning theory from three empirically motivated axioms: (1) the ability of language learners to learn in noisy environments, (2) language learner memory limitations (e.g. inability to remember long-past utterances), and (3) the likelihood that language learners choose simple grammars over more complex, equivalent ones. These formal results are weaker empirically than they might appear at first glance: the equivalence of "learned" grammars is measured using only weak generative capacity, ignoring uniformity considerations.

¹¹An alternate substantive constraint, suggested by Higginbotham (personal communication) and not explored here, is to require natural language grammars to generate non-dense languages. Let the *density* of a class of languages be an upper bound (across all languages in the class) on the ratio of grammatical utterances to grammatical and ungrammatical utterances, in terms of utterance lengths. If the density of natural languages was small or even logarithmic in utterance length, as one might expect, and a decidable property of the reformulated GPSG's, then undecidability of " $= \Sigma^*$?" would no longer reflect on the decidability of whether the GPSG framework characterized all and only the natural language grammars. The exact specification of this density constraint is tricky because unit density decides " $= \Sigma^*$?", and therefore density measurements cannot be too accurate. Furthermore, Σ^* and L_{IG} can be buried in other languages, i.e. concatenated onto the end of an arbitrary (finite or infinite) language, weakening the accuracy and relevance of density measurements.

- Higginbotham, J. (1984) "English is not a Context-Free Language," *Linguistic Inquiry* 15: 119-126.
- Hopcroft, J.E., and J.D. Ullman (1979) *Introduction to Automata Theory, Languages, and Computation*. Reading, MA: Addison-Wesley.
- Minsky, M. (1967) *Computation: Finite and Infinite Machines*. Englewood Cliffs, N.J: Prentice-Hall.
- Nash, D. (1980) "Topics in Warlpiri Grammars," M.I.T. Department of Linguistics and Philosophy Ph.D dissertation, Cambridge.
- Osherson, D., M. Stob, and S. Weinstein (1984) "Learning Theory and Natural Language," *Cognition* 17: 1-28.
- Pullum, G.K. (1985) "On Two Recent Attempts to Show that English is Not a CFL," *Computational Linguistics* 10: 182-186.
- Ristad, E.S. (1986) "Computational Complexity of Current GPSG Theory," *1986 ACL Conference Proceedings*.
- Shieber, S.M. (1985) "Evidence Against the Context-Freeness of Natural Language," *Linguistics and Philosophy* 8: 333-344.

END

12-86

DTIC